# **SPRAYCANNON**









12/



# **SPRAYCANNON 10**



DUST CONTROL - ATOMIZATION - HUMIDIFICATION - CLIMATE CONTROL - FIRFIGHTING - SNOW MAKING

## THE RIGHT SOLUTION FOR EVERY DUST PROBLEM!





#### **MB DUST CONTROL**

Fine dust emissions are hazardous. For years, MB Dustcontrol has been manufacturing fog/misting solutions that optimally control dust and minimize the risks. Our proven system consists of weighing down the emitted dust particles by binding them with droplets of water so they quickly fall to the ground through gravity.

#### **PRAYCANNON 10**

The SprayCannon 10 is especially designed to cover both small indoor- and outdoor areas where dust and odour suppression is required. The machine is perfectly suitable for small demolition, recycling and construction applications, also it can be successfully used at asbestos removal sites. Since the machine is very compact and light, it is very easy to manouvre and lift.

Due to the Frequency Valve for the Fan and Waterusage, this machine can be adjusted to satisfy the specfic needs on the job!

#### SPRAYCANNON 15...MAXIMUM DUST SUPPRESSION RESULT WITH MINIMUM WATER USAGE!



$\bigcap$	SPRAYCANNON 10 STANDARD
≻	230V Inlet
≻	Complete Stands and hand handle
≻	Nozzle Blockwith 9 fine mist nozzles
≻	450W Fan Motor
≻	3 bladed Fan
≻	Garden hose waterconnection
≻	Tilting System
	OPTIONS
≻	Plunger Pump (30 – 60 Bar)
>	Company Colors

WWW,SPRAYCANNON.COM



### WE BEAT THE DUST!

#### **SPRAYCANNONS**

MB Dustcontrol specializes the development and production of a full range of (mobile) SprayCannons. With or without trailer, water tank, or generator and from small to big. UV unit, remote control or frequency control are but a few of the available options. MB Dustcontrol also provides indoor dust management solutions that can be mounted on a wall or ceiling, as well as solutions that can be used in open spaces. Our SprayCannons spray a wall of fog from 5 meters to 100 meters far and up to 35 meters high with water particles of 20-150 micron.

#### **APPLICATION AREAS**

DEMOLITION - CONCRETE PRODUCTION PLANTS - RECYCLING SITES & PLANTS -ENVIRONMENTAL SITES; SOIL REMEDIATION - STEEL/SLAG HANDLING SITES & PLANTS -WOOD/ALUMINUM PROCESSING PLANTS -FIREFIGHTING AT FIREPLACES - THE SPRAYCANNONS ARE ALSO USED FOR COOLING DOWN BULK MATERIALS, MACHINES AND PERSONS.

#### SPRAYCANNON 10...EASY TO OPERATE, EASY TO MOVE COMBINED WITH A GREAT SPRAYING RESULT!

TECHNICAL DETAILS		
Throw	10-15 m	
Water	0-100 l/h	
Electricity	230V	
Length	55 cm	
Width	44 cm	
Height	73 cm	
Weight	18 kg	
Oscillation	None	
Tilt	Yes	
Frequency Valve	Water: Yes - Air; Yes	



WWW,SPRAYCANNON.COM



## **NO MORE HAZARDOUS DUST EMMISSIONS !**

SPRAYCANNON 10

#### SPRAYING DISTANCE & SPRAYING HEIGHT MAXIMUM VERTICAL ANGLE / ELEVATION





### **MB DUSTCONTROL B.V.**

INDUSTRIEWEG 2 2254 AE VOORSCHOTEN THE NETHERLANDS

T. 0031(0)71-5610096 F. 0031(0)71-5614420

INFO@MB-DUSTCONTROL.COM WWW.SPRAYCANNON.COM 0 mtr

8 mtr