SPRAYCANNON





























WE BEAT THE DUST!

THE RIGHT SOLUTION FOR EVERY DUST PROBLEM!



MB DUST CONTROL

Fine dust emissions are hazardous. For years, MB Dustcontrol has been manufacturing fog/misting solutions that optimally control dust and minimize the risks. Our proven system consists of weighing down the emitted dust particles by binding them with

droplets of water so they quickly fall to the ground through gravity. Because we believe that each dust problem is unique, we work closely with our customers to find the

best suitable solution.

SPRAY

SPRAYCANNON 25

The SprayCannon 25 is especially designed to cover both small indoor- and outdoor areas where dust and odour suppression is required.

The machine is perfectly suitable for small demolition, recycling and construction applications, also it can be successfully used at asbestos removal sites.

Since the machine is very compact and light, it is very easy to manouvre and lift. Due to the tubeless tires it's no problem to use the machine in rough terrains. On top of it all, a powerfull fan and specially designed nozzles including filter will take care of the job properly!

SPRAYCANNON 25...MAXIMUM DUST SUPPRESSION RESULT WITH MINIMUM WATER USAGE!



SPRAYCANNON 25 STANDARD

- > 230V Inlet
- Complete with 2 wheels & hand handles
- Nozzlering with 16 nozzles
- 2,2 kW Fan Motor
- Tilting System

OPTIONS

- 1,5 KW Plunger Pump (30 60 Bar)
- > 0,1 kW Horizontal oscillation Group
- Remote Control
- Pump for chemical additives such as odour control



WE BEAT THE DUST!

SPRAYCANNONS

MB Dustcontrol specializes in the development and production of a full range of (mobile) SprayCannons. With or without trailer, water tank, or generator and from small to big. UV unit, remote control or frequency control are but a few of the available options. MB Dustcontrol also provides indoor dust management solutions that can be mounted on a wall or ceiling, as well as solutions that can be used in open spaces. Our SprayCannons spray a wall of fog from 5 meters to 100 meters far and up to 35 meters high with water particles of 20-150 micron.

APPLICATION AREAS

DEMOLITION - CONCRETE PRODUCTION PLANTS - RECYCLING SITES & PLANTS - ENVIRONMENTAL SITES; SOIL REMEDIATION - STEEL/SLAG HANDLING SITES & PLANTS - WOOD/ALUMINUM PROCESSING PLANTS - FIREFIGHTING AT FIREPLACES - THE SPRAYCANNONS ARE ALSO USED FOR COOLING DOWN BULK MATERIALS, MACHINES AND PERSONS.

SPRAYCANNON 25...EASY TO OPERATE, EASY TO MOVE COMBINED WITH A GREAT SPRAYING RESULT!


SPRAY CANNO

TECHNICAL DETAILS	
Throw	25 m
Water	0-750 l/h
Electricity	230V
Length	130 cm
Width	90 cm
Height	130 cm
Weight	200kg (incl. pump)
Oscillation	0° - 220°
Tilt	-15° - 60°
Wheels	2 tubeless





NO MORE HAZARDOUS DUST EMMISSIONS!





MB DUSTCONTROL B.V.

INDUSTRIEWEG 2 2254 AE VOORSCHOTEN THE NETHERLANDS

T. 0031(0)71-5610096 F. 0031(0)71-5614420

INFO@MB-DUSTCONTROL.COM WWW.SPRAYCANNON.COM